

High Quality Professional Broadcast Monitors

## 2015



800-918-9090 • +1-949-465-9911 • www.bolandcom.com

# High Quality Professional Broadcast Monitors

It's all about one single, simple concept: Customer Service.

Thirty-five years ago our organization, starting out as a simple contract broadcast equipment design group, had one vision: to offer the best customer service in the business. We began by manufacturing a number of on screen display products. As our manufacturing volumes grew, so grew our reputation for servicing our customers.

We have always believed that listening to our customer's specific needs was the best way to develop any product. At the 1995 National Association of Broadcasters Show, after significant user feedback, we introduced the first LCD monitor to the broadcast community. It was voted the editor's "Pick of the Show," and has expanded in all directions, focusing on broadcast television and film.

And our single defining element? To this day it is our dedication to customer service. Though we strive to do a lot of things right...improving on old technologies, offering custom display design, crafting specific models and series for specific uses...it's true that all of these things are important, but nothing matters more than taking care of all of our valuable customers.

As you read through our latest offering, we encourage all of you to take note of what you see and like. If you don't see what you need, all you have to do is let us know and we will build it...

We are here for you, just like when we started out some thirty-five years ago. We are here FOR YOU, and welcome all of your feedback, so that you may allow us to serve you for thirty-five more.



## **Table of Contents**

4K	4
OLED	5
Television & Broadcast	6
Post Production & Edit	7
Mobile Broadcast – O.B.	8
Field & Production & On Set	9
Camera – Jib – Steadicam	10
Teleprompting	11
DayBrites	
Digital Signage & Slim Bezel Monitor Walls	13
Aviation – Commercial – Military	13
7" - 10" Monitors	14
10" Monitors	15
12" Monitors	16
15" - 16" Monitors	17
17" - 18" Monitors	18
19" Monitors	19
20" - 22" Monitors	20
23" - 25" Monitors	21
26" - 30" Monitors	22
32" Monitors	23
42" - 47" Monitors	24
55" - 72" Monitors	
Accessories	26
Custom Built Monitors	27

#### **4K**

model by Boland.

## OLED

First there was OLED in 17". Great for location and camera work. Then came 25". The perfect size to use as a reference monitor. And now, Boland is proud to bring you the next evolution in OLED technology, the BVB55OLED.

If you have been searching for a client monitor that successfully offers the same black levels now found in your colorist's edit bay (or if you are part of the new wave of color management pros that edit on a large screen format), please consider this brand new 55" model. It tenders all of the extensive features begun on our smaller BVB Series units...but in a larger size. And the black levels attained by its revolutionary OLED technology are second to none.



The future is here. And what a beautiful future it portends to be. 4K by Boland is based on clarity, color, and

size. Now available in sizes 28", 32", 55", 65", 75", 84", and 98", these models offer Ultra HD resolution of

3840 x 2160, and list features like ultra wide viewing angles, multiple digital inputs, upscale conversion of

If you need to view your 4K content on a color accurate 4K monitor, we would be happy to show you a 4K

1080 signal, Gamma Curve and RGB adjust, safe area markers, and multiple/color temperatures.



#### **Commonly Paired With**



BVB17OLED See page 18



OLED



BVB25OLED See page 21

## **Television & Broadcast**

In the world of Broadcast Television, monitors play a critical role. They provide preview for multiple cameras (and program), assist with camera shading, allow the T.D., A.D., Director, and others to frame a shot, and provide multi-viewing control room options for large productions. They can even monitor signal with built-in scopes.

This is all "good stuff," but professional broadcast monitors by Boland offer even more. Our high quality, hand selected LCD displays are easy on the eyes after 14 hour days; they offer many signal inputs which give peace of mind that any signal can be processed in any situation; and not only do Boland monitors offer 178° of off-axis viewing, but they do so with perfect, calibrated colorimetry.

From CBS in Los Angeles to CNN in New York to ZDF in Germany, broadcasters worldwide count on Boland for reliability, multi-functioned ease of use, and a second to none range of sizes and options.



Late Night Talk Show Control Room



Sports Venue Control Room Operations

#### Post Production & Edit



World Poker Tour, Los Angeles

Color is Critical! These words, more than any other, describe the Boland models suggested for Post Production. Lots of colorists use lots of different sized monitors. They work in diverse color space, on various types of projects, for different entertainment mediums. Their work is varied. It is unique depending on scope. But there is one criteria important to all: Accurate Color.

To be certain that Color is Correct is a universal demand in the post production community, and Boland offers multiple models to ensure this requisite need is met.

From our BVB25OLED with crisp and conscientious blacks, to our SMPTE 709 47" large screen monitors (used to edit critically acclaimed "House of Cards"), to our portable 17" units that feature 10 bit panels and processing and support DCinema and wide gamuts...for all of these critical elements, Boland is a great candidate for your next Post Production, Color Accurate monitor.

Not sure where to start? Check out our BVB24, BVB25OLED, or BVB17. They all support 4:4:4 signal and present quality that is second to none.

#### **Commonly Recommended Models**





**BVB24** See page 21 **BVB25OLED** See page 21

#### **Commonly Recommended Models**



**PVB17** See page 17



HXL24 See page 21



**BVB32** See page 23

bolanc




HXL55 See page 25



# Post Production & Edit

Team Detroit. Detroit



## Mobile Broadcast – O.B.





Encore, Game Creek Video, Hudson

Double Eagle, NEP, Pittsburgh

Mobile broadcast is tough. There is no rest for the weary, and often times trucks and vans get no rest at all (and neither does the crew for that matter). Being on the road 24/7/365, a mobile broadcaster demands equipment that can endure thousands and thousands of miles. With respect to monitors, Boland is proud to build models for the best of the best.

If you are building a truck, van or flypack, and need monitors for multi-viewing, shading, or as throwdowns, we would be proud to design some tough and dependable monitors for your specific needs. With the most responsive customer service in the industry, and custom models made to order, Boland will keep you rolling down that highway knowing that monitoring will never be a worry when you come to the end of the line.



Sadie. Harb Productions. Knoxville



GTX-17. F&F Productions. Clearwater



Revolution. All Mobile Video. Bogota




HXL47 See page 24

## Field & Production & On Set

The New Standard...it's as simple as that. In the field, on location in the Blue Ridge Mountains, or sequestered on a stage hidden somewhere in Hollywood, when the shoot is going down, you need accurate, dependable, calibrated monitoring to evaluate the shot and understand what the camera already knows. For almost 20 years, Boland has been an innovator for on-set monitoring. Our professional displays offer a whole host of features not found in other so-called "professional" monitors. For example, many of our models feature 10 bit color depth (1.06 billion colors), full scopes packages, 3G SDI + Dual Link, support for 2K resolution and 4:4:4 signal, and tempered scratch resistant glass.


From Paramount, FOX, Universal, and Sony to the World Series, The Grammy's, The Oscars, and Spiderman number thirty seven, Boland is proud to build reliable and accurate monitors for production.

Check out our new BVB and PVB Series in 17", 24", and 32". All offer 1920×1080 resolution with 2K support, 16 channel audio, and are pre-calibrated at the factory. Or for the discerning eye (and D.I.T cart), perhaps you would be interested in the new BVB25 OLED? Amazing blacks with an amazing price... who could ask for more?



Glendale

#### **Commonly Recommended Models**





**BVB09** See page 14 LVB17-G See page 18

**Commonly Recommended Models** 



**PVBL20 TE** See page 20



PVBL24 See page 21



**PVBL32 TE** 

See page 23

ш. Ö

Mobile Broadcast -

Burbank





**PVB17** See page 18



**PVB24** See page 21

## Camera – Jib – Steadicam



Are you following Pacino with a PRO rig? Tracking the shot around the bend at the Indianapolis 500? Maybe filming from a crane for a company like Google or Yahoo? If any of these situations sound familiar, you probably already know about the Boland models that are perfect for steadicam and camera operators, jib and crane principals.

Available with 4:3 or 16:9 aspect LCD's (with LED backlights), in regular brite or DayBrite varieties, and in sizes ranging from 7" to 24", these special monitors from Boland offer up to 1500 nits of brightness, extra wide off-axis viewing, adjustable safe area frame markers, and a whole host of other professional features not often found on other broadcast monitors.

All of these models feature HD SDI, HDMI/DVI, and Composite inputs, as well as SMPTE 709 color calibration, Gamma and Color Temperature onboard adjustments.








#### **Commonly Recommended Models**



**BVB07** See page 14



**BVB09** See page 14



HD12LDB See page 16



**PVB16LDB** See page 17

## Teleprompting

Teleprompter rigs must have one critical characteristic: dependability. When talent has been cued and the director calls for action, the teleprompter operator and his / her equipment must be ready to go. And without a reliable prompting monitor, it's anyone's guess whether the script will be ready to roll.

For almost two decades, Boland has manufactured dependable, high quality teleprompting models with built-in scan reverse, in 4:3 native aspect, in 8", 12", 15", and 19" sizes. DayBrite (1500 nts) or standard brightness...you make the call. Our monitors are used on-set at CNN, for television shows like The View, The Talk, American Idol, and the Bachelor, by multiple international heads-of- state, and by the American President.





CNN Studios, D.C.



DayBrite Teleprompter On Location

#### **Commonly Recommended Models**





d150 See page 17

d190 See page 19

10







CNN. NYC





d150LDB See page 17



d190LDB See page 19

## **DayBrites**

You're flying in a chopper in the middle of Vegas, and the camera and the map can't be seen because of the glare.

You're on location in Miami shooting a new crime picture, and the director can't see the action because the monitor itself is 100% clipped by the Florida sunshine.

You're a steadicam operator, and your movie star keeps disappearing from your follow monitor because it's so bright outside.

Sound familiar? We can help. The leading DayBrite monitors in the industry are made by Boland, and we are proud that our DayBrites are used with great satisfaction by folks like steadicam operators Mike McGowan and Brant Fagan, law enforcement agencies like Houston and Phoenix Police Departments, and even multiple Presidents of the United States (reading from the White House Rose Garden).



Mountain Coast Productions, Denver













Exterior Episodic, New Orleans

Our DayBrites are available in a 4:3 aspect, in sizes 8", 10", 12", 15", and 19". They are also available in a 16:9 aspect, in sizes 7", 9", 16", 20", and 23". And all come with just about any signal input and monitor feature you may need.

Not sure exactly which monitor is the best for your use? Please call us any time...we are happy to help...

#### Aviation – Commercial – Military

Boland Monitors are a perfect fit for airborne applications. Lightweight, with protected screens, Boland commercialgrade units offer flexible input configurations, wide power latitude, and support for all global video formats. Touch screens and LED back lights are available for NVG compatible applications.

#### **Commonly Recommended Models**



**BVB07** See page 14



**BVB09** See page 14



**PVB16LDB** See page 17



HXL20LDB See page 20

#### **Commonly Recommended Models**





HD12LDB See page 16



They are on-set at The Voice, behind talent on your local evening news, and can be viewed in malls, office buildings, and ballparks throughout the land.

Slim Bezel monitor walls by Boland are certainly slim at 2.5mm.

Available in 46" and 55" sizes, with outstanding 1920×1080 resolution, and with either 450 nts or 700 nts for brightness, these incredible looking LCD's (with LED backlights) can be used inside controlled environments or outside in the sunshine.

And talk about ease of use! Thanks to Boland's onboard software, these models can scale a single image across up to 16 screens without the use of an expensive 3rd party controller/scaler. This means savings!







## 7" - 10" Monitors

	<b>7</b> "	7"	8"	9"	9"	10"
	BVB07	BVB07X2	HD84LDB	BVB09	BVB09X2	BL10
16:9 Native	•	•		•	•	•
4:3 Native	1000 MB	200	•			
Selectable Aspect Ratios	•	•	•	•	•	•
Daylight Viewable	•	• • • • •	•	•	•	
3G SDI	•	•	•	•	•	•
Dual Link SDI		1.11.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	80			
HDMI/DVI	•	•	•	•	•	•
Analog Inputs	· /	- S. • S. 92.1	•	•	•	•
Markers	•	•	•	•	•	
Focus Assist		•		•	•	
False Color	•	•		•	•	
Waveform	•	•		•	•	
Vector Scope	•	•		•	•	
Audio Meters	•	•		•	•	
Audio De-embed	•	•		•	•	
Speakers	•	•		•	•	
Rec 709 /D65	•	•	•	•	•	•
DCinema-P3						
3D LUT						
Gamma Correct	•	•	•	•	•	
4:4:4						
2K Processing	•	•		•	•	
2K Native LCD						
10 bit LCD						
10 bit Processing*	•	•	•	•	•	•
Scan Reverse						
UMD / IMD	•	•		•	•	
SFP Socket						
Truck Edition**						
Ultra Thin Bezel	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
Protective Glass Available	•	•	•	•	•	
Battery Mount Available	•	•	•	•	•	•
Handlebars Available	•		•	•		
Rack Mount Available	•	•	•	•	•	•
Stand Available	•	•	•	•	•	•
Value Model / Low Cost		•		•		

10"	10"	10"	10"	10"	10"	10"
HDL10	HDL10X2	HDL10LDB	DHDL10	DVI10LDB	xd104L	xd104LDB
•	•	•	•	•	•	
•	•	•	•	•	•	•
		•		•	_	•
•	•	•				
•	•	•	•	•	•	•
•	•	•	•	•	•	•
	•	•		•		
•	•	•	•	•	•	•
•	•	•	•	•		
•	•	•	•	•	•	•
			•		•	•
		•		•		•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•

\*All HX and 2K models offer 12 bit processing. \*\*Plain front bezel with buttons on rear.



## 10" Monitors

10" Monitors

## 12" Monitors

16:9 Native 4:3 Native	HDL12	HD12LDB	DHDL12			
	•			DVI12LDB	d121	d121LDB
4:3 Native	•					
		· ·	•	•	•	•
Selectable Aspect Ratios	•	•	•	•	•	•
Daylight Viewable				•		•
3G SDI	•	•				
Dual Link SDI		111111111	8			
HDMI/DVI	•	•	•	•	•	•
Analog Inputs	•		C. 2.	•	•	•
Markers	•	•		•		
Focus Assist	100000	2000 A.				
False Color						
Waveform	000000000					
Vector Scope						
Audio Meters						
Audio De-embed						
Speakers						
Rec 709 /D65	•	•	•	•	•	•
DCinema-P3						
3D LUT						
Gamma Correct	•	•	•	•		
4:4:4			-	-		
2K Processing						
2K Native LCD						
10 bit LCD						
10 bit Processing*	•	•	•	•	•	•
Scan Reverse			•		•	•
UMD / IMD						•
SFP Socket						
Truck Edition**						
Ultra Thin Bezel						
Protective Glass Available		•		•		•
Battery Mount Available	•	•	•	•	•	•
Handlebars Available						
Rack Mount Available	•	•	•	•	•	•
Stand Available	•	•	•	•	•	•

15"	15"	15"	15"	15"	15"	16"
HX15	HX15LDB	DVI15LDB	DHD15	d150L	d150LDB	PVB16LDB
•		•				•
	•		•	•	•	
•	•	•	•	•	•	•
	•	•			•	
•	•					•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•		-		•
						•
						•
						•
						•
						•
•	•	•	•	•	•	•
•	•	•	•			•
						•
•	•	•	•	•	•	•
			•	•	•	
					•	•
•	•					
	•	•		•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•

\*All HX and 2K models offer 12 bit processing. \*\*Plain front bezel with buttons on rear.



## 15"-16" Monitors

## 17" - 18" Monitors

	17"	17"	17"	17"	17"	18"
	BVB170LED	BVB17	PVB17	LVB17	LVB17-G	HXL18
16:9 Native	•	•	•	•	•	•
4:3 Native		22				
Selectable Aspect Ratios	•	•	•	•	•	•
Daylight Viewable		53.000.00				
3G SDI	•	•	•	•	•	•
Dual Link SDI	•	•	80 ·			
HDMI/DVI	•	•	•	•	•	•
Analog Inputs	220 • //			•	•	•
Markers	•	•	•	•	•	•
Focus Assist	•	•				
False Color	•	•				
Waveform	•					
Vector Scope	•	•				
Audio Meters	•	•				
Audio De-embed	•	•				
Speakers	•	•				
Rec 709 /D65	•	•	•	•	•	•
DCinema-P3	•	•				
3D LUT	•	•				
Gamma Correct	•	•	•	•	•	•
4:4:4	•	•				
2K Processing	•	•	•			
2K Native LCD						
10 bit LCD	•	•				
10 bit Processing*	•	•	•	•	•	•
Scan Reverse						
UMD / IMD	•	•	•	•	•	
SFP Socket						•
Truck Edition**						
Ultra Thin Bezel	14.1					
Protective Glass Available					•	
Battery Mount Available	•	•	•	•	•	•
Handlebars Available						
Rack Mount Available	•	•	•	•	•	•
Stand Available	•	•		•	•	•
Value Model / Low Cost				•	•	

19"	19"	19"	19"	19"	19"	
HXL19	HX19LDB	DHDL19	DHD19LDB	d190L	d190LDB	
•	•	•	•	•	•	
	•		•		•	
•	•					
•	•	•	•	•	•	
•	•	•	•	•	•	
•	•					
•	•	•		•	•	
•	•	•	•	•	•	
•	•	•	•			
						-
		•	•	•	•	•
•	•					
	•		•		•	
•	•	•	•	•	•	
•	•	•	•	•	•	
•	•	•	•	•	•	

\*All HX and 2K models offer 12 bit processing. \*\*Plain front bezel with buttons on rear.



## **19" Monitors**

19" Monitors

800-918-9090 • +1-949-465-9911 • www.bolandcom.com

#### 20" - 22" Monitors

	20"	20"	20"	20"	21"	22"
	PVBL20	PVBL20 TE	HXL20	HXL20LDB	LVB21	HXL22
16:9 Native	•	•	•	•	•	•
4:3 Native						
Selectable Aspect Ratios	•	•	•	•	•	•
Daylight Viewable		11/10		•		
3G SDI	•	•	•	•	•	•
Dual Link SDI	•	•	8.			
HDMI/DVI	•	•	•	•	•	•
Analog Inputs	10.	843 • S S A	•	•	•	•
Markers	•	•	•	•	•	•
Focus Assist	25115212					
False Color						
Waveform	•	•				
Vector Scope	•	•				
Audio Meters	•	•	1.00			
Audio De-embed	•	•				
Speakers	•	•				
Rec 709 /D65	•	•	•	•	•	•
DCinema-P3						
3D LUT						
Gamma Correct	•	•	•	•	•	•
4:4:4						
2K Processing	•	•				
2K Native LCD						
10 bit LCD						
10 bit Processing*	•	•	•	•	•	•
Scan Reverse						
UMD / IMD	•	•			•	
SFP Socket			•	•		•
Truck Edition**		•				
Ultra Thin Bezel	1000					
Protective Glass Available				•		
Battery Mount Available	•	•	•	•	•	•
Handlebars Available						
Rack Mount Available	•	•	•	•		
Stand Available	•	•	•	•	•	•
Value Model / Low Cost					•	

23"	23"	24"	24"	24"	24"	25"
			<b>A</b>		**	
LVB23	HX23LDB	PVBL24	PVBL24 TE	HXL24	BVB24	BVB25OLED
•	•	•	•	•	•	•
•	•	•	•	•	•	•
	•					
•	•	•	•	•	•	•
		•	•		•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
					•	•
					•	•
		•	•		•	•
		•			•	•
		•	•		•	•
		•	•		•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
					•	•
•	•	•	•	•	•	•
		-		•	•	•
		•	•		•	•
		-	-		-	-
					•	•
•	•	•	•	•	•	•
•		•	•		•	•
	•			•		
			•			
	•					
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•						

\*All HX and 2K models offer 12 bit processing. \*\*Plain front bezel with buttons on rear.



#### 23" - 25" Monitors

## 26" - 30" Monitors

	26"	27"	27"	27"	30"	30"
	BVB26	PVB27	LVB27	HXL27	2K30	2K30 TE
16:9 Native	•	•	•	•	•	
4:3 Native						
Selectable Aspect Ratios	•	•	•	•	•	•
Daylight Viewable		2002420				
3G SDI	•	•	•	•	•	•
Dual Link SDI	•		8.0			
HDMI/DVI	•	•	•	•	•	•
Analog Inputs	28. · //	- 5.000	•	•	•	•
Markers	•	•	•	•	•	•
Focus Assist	•					
False Color	•					
Waveform	•	•				
Vector Scope	•	•				
Audio Meters	•	•				
Audio De-embed	•	•				
Speakers	•	•				
Rec 709 /D65	•	•	•	•	•	•
DCinema-P3	•					
3D LUT	•					
Gamma Correct	•	•	•	•	•	•
4:4:4	•					
2K Processing	•	•			•	•
2K Native LCD					•	•
10 bit LCD	•				•	•
10 bit Processing*	•	•	•	•	•	•
Scan Reverse						
UMD / IMD	•	•	•			
SFP Socket				•		
Truck Edition**						•
Ultra Thin Bezel	1111					
Protective Glass Available						
Battery Mount Available	•	•	•	•	•	•
Handlebars Available						
Rack Mount Available						
Stand Available	•	•	•	•	•	•
Value Model / Low Cost			•			

32"	32"	32"	32"	 	
BVB32	PVB32	PVBL32 TE	LVB32		
•	•	•	•		
•	•	•	•		
•	•	•	•		
•	•	•			
•	•	•	•		
•	•	•	•		
•	•	•	•		
•					
•	•	•			
•	•	•			
•	•	•			
•	•	•			
•	•	•			
•	•	•	•		
•					
•					
•	•	•	•		
•					
•	•	•		 	
•					
•	•	•	•		
•	•	•	•		
		•			
•	•	•	•		
•	•	•	•		
			•		

\*All HX and 2K models offer 12 bit processing. \*\*Plain front bezel with buttons on rear.



## 32" Monitors

#### 42" - 47" Monitors

	42"	46"	<b>47</b> "	47"	<b>47</b> "	
	HXL42	PSM46	PVB47	HXL47	HX47LDB	
16:9 Native	•	•	•	•	•	
4:3 Native						
Selectable Aspect Ratios	•	•	•	•	•	
Daylight Viewable	240	53.572.57			•	
3G SDI	•	•	•	•	•	
Dual Link SDI		0.000				
HDMI/DVI	•	•	•	•	•	
Analog Inputs		110.000	C 2.	•	•	
Markers	•	•	•	•	•	
Focus Assist	163397378	5000 L				
False Color						
Waveform	65052.00		•			
Vector Scope			•			
Audio Meters	515.2		•			
Audio De-embed			•			
Speakers	100.0		•			
Rec 709 /D65	•	•	•	•	•	
DCinema-P3						
3D LUT						
Gamma Correct	•	•	•	•	•	
4:4:4						
2K Processing			•			
2K Native LCD						
10 bit LCD						
10 bit Processing*	•	•	•	•	•	
Scan Reverse						
UMD / IMD			•			
SFP Socket	•			•	•	
Truck Edition**						
Ultra Thin Bezel	1.1.1	•				
Protective Glass Available						
Battery Mount Available						
Handlebars Available						
Rack Mount Available						
Stand Available	•	•	•	•	•	
Value Model / Low Cost						

55"	55"	55"	55"	72"		
PVB55	BVB550LED	HXL55	PSM55	HXL72		
•	•	•	•	•		
•	•	•	•	•		
•	•	•	•	•		
•	•			-		
•	•	•	•	•		
•	•	•	•	•		
	•					
	•					
•	•					
•	•					
•	•					
•	•					
•	•					
•	•	•	•	•		
	•					
	•					
•	•	•	•	•		
	•					
•	•					
•	•	•	•	•		
•	•	•	•	•		
•	•					
		•		•	-	
			•			
•	•	•	•	•		

\*All HX and 2K models offer 12 bit processing. \*\*Plain front bezel with buttons on rear.



42" - 47" Monitors



## 55" - 72" Monitors

#### **Accessories**



**Rack Mount Plate** 



6" Panavise 1/4-20 Mount





Desk Top Stand Under 12"

**Remote Control** 

Noga Arm



P-Tap to Mini XLR Power Cable



Power Supplies (various sizes)

Yoke Mount



**Rack Mount Plate** 





Stationary Stand Under 55"



Anton Bauer Plate (V Mount also available)



Tilting Stand Under 20"

#### **Custom Built Monitors** Your needs. Your Specifications.

Built in America, Boland's custom-made models have been featured in such facilities as the Pentagon, the 911 Memorial, and the Smithsonian. Whatever the specifications call for, Boland will deliver exacting standards. Custom color, size, or extra-special technical request? No problem.

#### **Available Options**

- "Truck Edition"
- (Plain bezel front, buttons on rear)
- Custom Color Bezels
- NVG / Night Vision Compatible LCD's
- Touchscreens up to 72"
- Fiber / SFG signal input
- Standard and DayBrite
- 12 & 28 Volt Power (9-36v)
- Various input configurations

































Boland creates custom LCD monitors in America, using only the finest components. Some of our past custom creations are now featured in the 911 Memorial, The Smithsonian, The Museum of Natural History in NYC, Moscone Center, Bank of America, The Pentagon, Disney, and on The Wheel of Fortune.

## **Call Today!** (800) 918-9090



#### bolond is dependable, delivering quality built with new technology, so reach for excellence.

#### **Broadcast and Film Production**

/ Post-Production: ABC All Mobile Video AOL CTV Bell Media **CBC** Toronto CBS Chainsaw CNN **ESPN** F&F Productions FedEX Field Fotokem Fox **Frontline Communications** GameCreek Video **Global News** Harb Productions Mastercut Mid America Jib **Mirror Image MSNBC** MTV/CMT NBA

NBC NEP Supershooters Paramount Studios Pepsi Center PSSI Global Rogers TV Sweetwater Digital Sony Pictures Televisa **Television New Zealand** Touring Video Turner Broadcast Universal Studios Univision Warner Brothers **Zoic Studios** ZDF

#### **Aviation/Vehicle:** A&R Jet

Aero Services Airborne Energy Solutions Boeing Bombardier Calif Hwy Patrol Diamond Airborne

Flir Systems Rosenbauer Houston PD Las Vegas PD Mesa PD OC Sheriff Neany Inc. New South Wales PD Norwegian Special Forces Phoenix PD Raytheon **Riverside PD Rockwell Collins SafetyVision** US Army US Air Force

#### Films/Television Programs: American Idol

The Voice House of Cards Dr. Phil Superbowl Academy Awards Grammy's Spiderman



High Quality Professional Broadcast Monitors

(800) 918-9090 • www.bolandcom.com • sales@bolandcom.com

Wheel of Fortune 911 Memorial

Use your barcode scanner application to view our website www.bolandcom.com



After Earth Fast and the Furious Phil Spector Rose Bowl NCAA Final Four The Fosters

The Muppets

- The Tonight Show The Talk The View Melissa and Joey Kimmel Live **Custom:**
- American Museum Natural History Bank of America Disney **General Electric** Guggenheim Los Alamos Moscone Center Pentagon Social Security Administration Smithsonian